



To: ETNA EHF

Dec. 5th,2025.

Model	Description	Photo for refer
T20 Standard	2.0T Li-ion battery pallet truck manual lifting/lowering electric/manual driving 2.0Ton capacity 0.75kw AC brushless motor 48V10Ah Battery 48V3A charger Fork Size: 540*1150mm or 680*1220mm	
T20i Standard	2.0T Li-ion battery pallet truck electric/manual lifting, manual lowering, electric/manual driving 2.0ton capacity 0.75kw AC brushless motor 0.65kw lifting motor 48V15Ah Battery 48V5A charger Fork Size: 540*1150mm or 680*1220mm	
T20i-s With Scale	2.0T Li-ion battery pallet truck electric/manual lifting, manual lowering, electric/manual driving 2.0ton capacity 0.75kw AC brushless motor 0.65kw lifting motor 48V15Ah Battery 48V5A charger Fork Size: 540*1150mm or 680*1220mm With Scale and I touch system	 




<p>T20i-G Galvanized</p>	<p>2.0T Li-ion battery pallet truck electric/manual lifting, manual lowering, electric/manual driving 2.0ton capacity 0.75kw AC brushless motor 0.65kw lifting motor 48V15Ah Battery 48V5A charger Fork Size: 540*1150mm or 680*1220mm Galvanized</p>	
<p>T20i-SL Stainless</p>	<p>2.0T Li-ion battery pallet truck electric/manual lifting, manual lowering, electric/manual driving 2.0ton capacity 0.75kw AC brushless motor 0.65kw lifting motor 48V15Ah Battery 48V5A charger Fork Size: 540*1150mm or 680*1220mm Stainless</p>	
<p>T20i-F</p>	<p>2.0T Li-ion battery pallet truck electric/manual lifting, manual lowering, electric/manual driving 2.0ton capacity 0.75kw AC brushless motor 0.65kw lifting motor 48V15Ah Battery 48V5A charger Fork Size: 540*1150mm or 680*1220mm Cold storage</p>	
<p>T20i-L</p>	<p>2.0T Li-ion battery pallet truck electric/manual lifting, manual lowering, electric/manual driving 2.0ton capacity 0.75kw AC brushless motor 0.65kw lifting motor 48V15Ah Battery 48V5A charger Fork Size: 540*1150mm or 680*1220mm Low profile 65mm</p>	 <p>✓ Low profile</p>


Spare Battery	61-500-100-20--48V15Ah（T20i）		
	61-500-300-10--48V20Ah（T20i）		
	61-501-100-10--48V10Ah（T20）		
Optional	1-touch Screen(2.5 inch screen, digital display)		<div><div><div>TIME0.3Hr</div><div>TRIP0km</div><div>BATTERY95%</div><div>SPEED0.0Km/h</div><div>EST.WT0Kgs</div><div>NEXT</div></div><div><div>VNAOFF</div><div>PASSWORDOFF</div><div>SLOPE1%</div><div>MAX.SPEED4.5Km/h</div><div>FAULTCODE</div><div>SET</div><div>HOMEPAGE</div></div></div>
Additional cost of Different Length of Forks	Less than 1150mm		
	Between 1220 and 1500	standard	
		galvanized	
		stainless	
	1800mm、2000mm、2400mm	standard	
		galvanized	
		stainless	
<div>Remark:</div> <div>1.Shipment term: BY SEA.FCL SHIPPING</div> <div>2.Lead time: round 30-50 days upon receipt of advance payment.</div> <div>3.Term of payment:30% deposit, balance before delivery.</div> <div>4.Packing terms: Export standard.</div> <div>5.Validity:Jun.30th,2026.</div> <div>6.if by LCL, there will be requires inland freight cost.</div>			
ZHEJIANG MICROLIFT CO.,LTD			

Official

TO: ETNA

Dec. 5th, 2025.





Model	Description	PHOTO
TS15i		
TS15i	1.5T walkied fork over type hybrid pallet stacker 48/30Ah Iron lithium battery 48V/5A charger 1.6m simplex mast 0.75KW drive motor 1.2KW lifting motor 1150 x 560 mm fork Tandem PU loading wheels Electric/manual driving + electric lifting+ electric lowering	
TS15i	1.5T walkied fork over type hybrid pallet stacker 48/30Ah Iron lithium battery 48V/5A charger 2.5m duplex mast 0.75KW drive motor 1.2KW lifting motor 1150 x 560 mm fork Tandem PU loading wheels Electric/manual driving + electric lifting+ electric lowering	
TS15i	1.5T walkied fork over type hybrid pallet stacker 48/30Ah Iron lithium battery 48V/5A charger 3.0m duplex mast 0.75KW drive motor 1.2KW lifting motor 1150 x 560 mm fork Tandem PU loading wheels Electric/manual driving + electric lifting+ electric lowering	

TS15i	1.5T walkied fork over type hybrid pallet stacker 48/30Ah Iron lithium battery 48V/5A charger 3.3m duplex mast 0.75KW drive motor 1.2KW lifting motor 1150 x 560 mm fork Tandem PU loading wheels Electric/manual driving + electric lifting+ electric lowering																																	
Option																																		
	1-touch Screen	<table><tr><td>TIME</td><td>0.3</td><td>Hr</td></tr><tr><td>TRIP</td><td>0</td><td>km</td></tr><tr><td>BATTERY</td><td>95</td><td>%</td></tr><tr><td>SPEED</td><td>0.0</td><td>Km/h</td></tr><tr><td>EST.WT</td><td>0</td><td>Kgs</td></tr><tr><td colspan="3">NEXT</td></tr></table> <table><tr><td>VNA</td><td>OFF</td></tr><tr><td>PASSWORD</td><td>OFF</td></tr><tr><td>SLOPE</td><td>1 %</td></tr><tr><td>MAX.SPEED</td><td>4.5 Km/h</td></tr><tr><td>FAULTCODE</td><td></td></tr><tr><td>SET</td><td></td></tr><tr><td colspan="2">HOMEPAGE</td></tr></table>	TIME	0.3	Hr	TRIP	0	km	BATTERY	95	%	SPEED	0.0	Km/h	EST.WT	0	Kgs	NEXT			VNA	OFF	PASSWORD	OFF	SLOPE	1 %	MAX.SPEED	4.5 Km/h	FAULTCODE		SET		HOMEPAGE	
TIME	0.3	Hr																																
TRIP	0	km																																
BATTERY	95	%																																
SPEED	0.0	Km/h																																
EST.WT	0	Kgs																																
NEXT																																		
VNA	OFF																																	
PASSWORD	OFF																																	
SLOPE	1 %																																	
MAX.SPEED	4.5 Km/h																																	
FAULTCODE																																		
SET																																		
HOMEPAGE																																		
Spare Battery	12-500-200-10--48V30Ah (TS15i)																																	
Handle assembly with	12-300-320-10 (TS15i) with I touch																																	
	12-300-300-20 (TS15i)																																	
Remark:																																		
1.Shipment term: by sea																																		
2.Lead time: round 35-45 days after receipt advance payment.																																		
3.Term of payment: 30% by T/T in advance and 70% by T/T in balance payment before shipment.																																		
4.Packing terms: Export standard.																																		
5.Validity:Jun.30th,2026.																																		
ZHEJIANG MICROLIFT CO.,LTD																																		

Official Quotation

TO: ETNA EHF

Quot

No.	Model	Description	photo
Electric forklift with lithium battery (IC engine forklift chassis + mast + other parts the same as IC forklift)			
1	FB20P	2.0t Lithium battery Powered forklift,with lithium battery 80V205Ah, with 80V65A charger, AC ZAPI controller system, 3m duplex mast, 1070mm forks, Pneumatic tyres	
2	FB25P	2.5t Lithium battery Powered forklift, with lithium battery 80V205Ah, with 80V65A charger, AC ZAPI controller system, 3m duplex mast, 1070mm forks, Pneumatic tyres	
3	FB30P	3.0t Lithium battery Powered forklift, with lithium battery 80V205Ah, with 80V65A charger, AC ZAPI controller system, 3m duplex mast, 1070mm forks, Pneumatic tyres	
4	FB35P	3.5t Lithium battery Powered forklift, with lithium battery 80V205Ah, with 80V65A charger, AC ZAPI controller system, 3m duplex mast, 1070mm forks, Pneumatic tyres	
Option for battery + charger	Extra price added on 80V205A lithium battery	80V230Ah lithium battery (Working round 3-4 hours)	
		80V410Ah lithium battery (Working round 5-6 hours)	
		80V460Ah lithium battery (Working round 6-8 hours)	
	Extra price added on 80V65A charger	80V100A charger (fast charging)	
		80V200A charger (fast charging)	

others	Model		
	Trplex with full free lift mast 4500mm		
	Trplex with full free lift mast 4800mm		
	Cascade Side Shifter with 3rd valve and 3rd		
	Cascade Fork Positioner with side shifter function including 3rd and 4th valve, lever		
	Black Solid tyre		
	No-marking white solid tire		
	Blue LED light		
	Extended fork / each 10cm		
	Additional valve and pipeline		
	Cabin standard		
	OPS system		
	Suspension seat		
	Reversing Camera + display		

Remark:

- 1.Shipment term: by sea
- 2.Lead time: round 35-45 days after receipt advance payment. (Real lead time will be up to the final
- 3.Term of payment: 30% by T/T in advance and 70% by T/T in balance
- 4.Packing terms: Export standard.
- 5.Validity:Jun.30th,2026.
- 6.Quoted by Tina(0086 186 5812 6311)